

ELSEVIER

Chemical Physics Letters 321 (2000) 520-527

www.elsevier.nl/locate/cplett

Author index to Volume 321

Acioli, P.H., L.S. Costa and F.V. Prudente, Quantum Monte Carlo study of vibratio	nal
states of silanone	321 (2000) 121
Adhikari, S., see Billing, G.D.	321 (2000) 197
Ahn, B.U., see Lee, S.K.	321 (2000) 25
Alexander, S.A., see Archibong, E.F.	321 (2000) 253
Amiot, C., J. Vergès, C. Effantin and J. d'Incan, The KRb (2)1 II electronic state	321 (2000) 21
Andersson, S., see Yu, HG.	321 (2000) 275
Andruniow, T. and M. Pawlikowski, Absorption and resonance Raman study of	the
pyromellitic diahydride anion via density functional theory	321 (2000) 485
Archibong, E.F., R.M. Gregorius and S.A. Alexander, Structures and electron detachm	nent
energies of AlP ₂ and Al ₂ P ₂	321 (2000) 253
Arnold, S.T., see Lee, G.H.	321 (2000) 333
Artacho, E., see Pascual, J.I.	321 (2000) 78
Baidakov, V.G., G.G. Chernykh and S.P. Protsenko, Effect of the cut-off radius of	the
intermolecular potential on phase equilibrium and surface tension in Lennard-Jo	
systems	321 (2000) 315
Bandow, S., F. Kokai, K. Takahashi, M. Yudasaka, L.C. Qin and S. Iijima, Interla	ayer
spacing anomaly of single-wall carbon nanohorn aggregate	321 (2000) 514
Barnes, I., see Spittler, M.	321 (2000) 57
Baró, A.M., see Pascual, J.I.	321 (2000) 78
Barrio, M., see Pardo, L.C.	321 (2000) 438
Bartlett, R.J., see Hirata, S.	321 (2000) 216
Baştuğ, T., see Erkoç, Ş.	321 (2000) 321
Becker, K.H., see Spittler, M.	321 (2000) 57
Bielschowsky, C.E., see Leitão, A.A.	321 (2000) 269
Billing, G.D. and S. Adhikari, The time-dependent discrete variable representation met	thod
in molecular dynamics	321 (2000) 197
Bowen, K.H., see Lee, G.H.	321 (2000) 333
Bray, K.L., see Riedener, T.	321 (2000) 445
Brinkmann, A., see Carravetta, M.	321 (2000) 205
Cáceres, J.O., J. Tornero López and A. González Ureña, Laser catalysis of acrylonitril	e on
copper surfaces	321 (2000) 349
Caminati, W., see Melandri, S.	321 (2000) 31
Carravetta, M., M. Edén, X. Zhao, A. Brinkmann and M.H. Levitt, Symmetry principle the design of radiofrequency pulse sequences in the nuclear magnetic resonance	
rotating solids	321 (2000) 205
	() =00



ELSEVIER

Chemical Physics Letters 321 (2000) 520-527

www.elsevier.nl/locate/cplett

Author index to Volume 321

Acioli, P.H., L.S. Costa and F.V. Prudente, Quantum Monte Carlo study of vibratio	nal
states of silanone	321 (2000) 121
Adhikari, S., see Billing, G.D.	321 (2000) 197
Ahn, B.U., see Lee, S.K.	321 (2000) 25
Alexander, S.A., see Archibong, E.F.	321 (2000) 253
Amiot, C., J. Vergès, C. Effantin and J. d'Incan, The KRb (2)1 II electronic state	321 (2000) 21
Andersson, S., see Yu, HG.	321 (2000) 275
Andruniow, T. and M. Pawlikowski, Absorption and resonance Raman study of	the
pyromellitic diahydride anion via density functional theory	321 (2000) 485
Archibong, E.F., R.M. Gregorius and S.A. Alexander, Structures and electron detachm	nent
energies of AlP ₂ and Al ₂ P ₂	321 (2000) 253
Arnold, S.T., see Lee, G.H.	321 (2000) 333
Artacho, E., see Pascual, J.I.	321 (2000) 78
Baidakov, V.G., G.G. Chernykh and S.P. Protsenko, Effect of the cut-off radius of	the
intermolecular potential on phase equilibrium and surface tension in Lennard-Jo	
systems	321 (2000) 315
Bandow, S., F. Kokai, K. Takahashi, M. Yudasaka, L.C. Qin and S. Iijima, Interla	ayer
spacing anomaly of single-wall carbon nanohorn aggregate	321 (2000) 514
Barnes, I., see Spittler, M.	321 (2000) 57
Baró, A.M., see Pascual, J.I.	321 (2000) 78
Barrio, M., see Pardo, L.C.	321 (2000) 438
Bartlett, R.J., see Hirata, S.	321 (2000) 216
Baştuğ, T., see Erkoç, Ş.	321 (2000) 321
Becker, K.H., see Spittler, M.	321 (2000) 57
Bielschowsky, C.E., see Leitão, A.A.	321 (2000) 269
Billing, G.D. and S. Adhikari, The time-dependent discrete variable representation met	thod
in molecular dynamics	321 (2000) 197
Bowen, K.H., see Lee, G.H.	321 (2000) 333
Bray, K.L., see Riedener, T.	321 (2000) 445
Brinkmann, A., see Carravetta, M.	321 (2000) 205
Cáceres, J.O., J. Tornero López and A. González Ureña, Laser catalysis of acrylonitril	e on
copper surfaces	321 (2000) 349
Caminati, W., see Melandri, S.	321 (2000) 31
Carravetta, M., M. Edén, X. Zhao, A. Brinkmann and M.H. Levitt, Symmetry principle the design of radiofrequency pulse sequences in the nuclear magnetic resonance	
rotating solids	321 (2000) 205
	() =00

Casassa, S., Ab initio study of periodic ice surfaces containing HCl	321 (1999) 1
Chandler, D., see Geissler, P.L.	321 (2000) 225
Chen, M., M. Zhou and Q. Qin, A theoretical investigation of the N ₂ O ₃ anion isomers	321 (2000) 498
Chen, M., see Qiao, Z.	321 (2000) 504
Chen, Y., see Palmer, P.M.	321 (2000) 62
Chernykh, G.G., see Baidakov, V.G.	321 (2000) 315
Collins, C., M. Duer and J. Klinowski, Molecular dynamics in crystalline C ₆₀ · 2CHBr ₃	321 (2000) 287
Costa, L.S., see Acioli, P.H.	321 (2000) 121
Csizmadia, I.G., see Knak Jensen, S.J.	321 (2000) 126
Curtiss, L.A., see Lee, YC.	321 (2000) 463
DeAzevedo, E.R., S.B. Kennedy and M. Hong, Determination of slow motions in extensively isotopically labeled proteins by magic-angle-spinning ¹³ C-detected ¹⁵ N exchange	
NMR	321 (2000) 43
Dellago, C., see Geissler, P.L.	321 (2000) 225
Dell'Erba, A., see Melandri, S.	321 (2000) 31
Demirdöven, N., see Khalil, M.	321 (2000) 231
De Schryver, F.C., see Köhn, F.	321 (2000) 372
D'Incan, J., see Amiot, C.	321 (2000) 21
Dlott, D.D., see Iwaki, L.K.	321 (2000) 419
Domcke, W., see Sobolewski, A.L.	321 (2000) 479
Doomes, E.E., see Floriano, P.N.	321 (2000) 175
Drickamer, H.G., see Zhu, A.	321 (2000) 394
Duer, M., see Collins, C.	321 (2000) 287
Eaton, J.G., see Lee, G.H.	321 (2000) 333
Edén, M., see Carravetta, M.	321 (2000) 205
Effantin, C., see Amiot, C.	321 (2000) 21
Erkoç, Ş., T. Baştuğ, M. Hirata and S. Tachimori, Size dependence in adsorption on model	
surfaces	321 (2000) 321
Fahlman, M., see Greczynski, G.	321 (2000) 379
Favero, P.G., see Melandri, S.	321 (2000) 31
Fecko, C.J., see Khalil, M.	321 (2000) 231
Fleming, P.E., The ionization energy of the diazomethyl radical (HCNN)	321 (2000) 129
Floriano, P.N., O. Schlieben, E.E. Doomes, I. Klein, J. Janssen, J. Hormes, E.D. Poliakoff and R.L. McCarley, A grazing incidence surface X-ray absorption fine structure	
(GIXAFS) study of alkanethiols adsorbed on Au, Ag, and Cu	321 (2000) 175
Friesner, R.A., see Murphy, R.B.	321 (2000) 113
Fukuda, R., see Hada, M.	321 (2000) 452
Furlan, A., Comment on "Femtosecond near-infrared laser desorption of multilayer benzene on Pt(111): spatial origin of hyperthermal desorption" [Chem. Phys. Lett. 314	
(1999) 389–395]	321 (2000) 339
Gandy, P.J.F. and J. Klinowski, Exact computation of the triply periodic G ('Gyroid')	
minimal surface	321 (2000) 363
Geissler, P.L., C. Dellago, D. Chandler, J. Hutter and M. Parrinello, Ab initio analysis of	
proton transfer dynamics in (H ₂ O) ₃ H ⁺	321 (2000) 225

Gilb, S., see Weis, P.	321 (2000) 426
Göller, A. and UW. Grummt, Torsional barriers in biphenyl, 2,2'-bipyridine and 2-phenyl-	/\
pyridine	321 (2000) 399
Golonzka, O., see Khalil, M.	321 (2000) 231
Gómez-Herrero, J., see Pascual, J.I.	321 (2000) 78
González Ureña, A., see Cáceres, J.O.	321 (2000) 349
Greczynski, G., M. Fahlman and W.R. Salaneck, Electronic structure of hybrid interfaces	(
of poly(9,9-dioctylfluorene)	321 (2000) 379
Gregorius, R.M., see Archibong, E.F.	321 (2000) 253
Grummt, UW., see Göller, A.	321 (2000) 399
Hada, M., R. Fukuda and H. Nakatsuji, Dirac-Fock calculations of the magnetic shielding	
constants of protons and heavy nuclei in XH ₂ (X = O, S, Se, and Te): a comparison	
with quasi-relativistic calculations	321 (2000) 452
Hampe, O., see Weis, P.	321 (2000) 426
Han, K.L., see Zhang, R.Q.	321 (2000) 101
Harris, K.D.M., see Turner, G.W.	321 (2000) 183
Hernández-Lamoneda, R. and A. Ramírez-Solís, Spin-orbit coupling in highly vibra-	
tionally excited $O_2(v)$ and $O_2(v=0)-O_2(v)$	321 (2000) 191
Hinchliffe, A. and H.J. Soscún Machado, Density functional studies of molecular polariz-	
abilities. Part 8. Acenaphthene and acenaphthylene	321 (2000) 151
Hino, K., see Ohashi, K.	321 (2000) 406
Hirao, K., see Vilkas, M.J.	321 (2000) 243
Hirata, M., see Erkoç, Ş.	321 (2000) 321
Hirata, S. and R.J. Bartlett, High-order coupled-cluster calculations through connected	,,
octuple excitations	321 (2000) 216
Hofkens, J., see Köhn, F.	321 (2000) 372
Hong, M., see deAzevedo, E.R.	321 (2000) 43
Hormes, J., see Floriano, P.N.	321 (2000) 175
Houk, K.N., see Strassner, Th.	321 (2000) 459
Huang, MB., see Liu, YJ.	321 (2000) 89
Hutter, J., see Geissler, P.L.	321 (2000) 225
Hwang, DY. and A.M. Mebel, Theoretical study on the reversible storage of \mathbf{H}_2 by BeO	321 (2000) 95
Ishihashi T. asa Misasasi E	221 (2000) 207
Ichihashi, T., see Mizoguti, E.	321 (2000) 297
Lijima, S., see Mizoguti, E.	321 (2000) 297
lijima, S., see Bandow, S.	321 (2000) 514
Inokuchi, Y., see Ohashi, K.	321 (2000) 406
Ishikawa, Y., see Vilkas, M.J.	321 (2000) 243
Iwaki, L.K. and D.D. Dlott, Ultrafast vibrational energy redistribution within C-H and	221 (2000) 410
O-H stretching modes of liquid methanol	321 (2000) 419
Izutsu, H., see Ohashi, K.	321 (2000) 406
Janssen, J., see Floriano, P.N.	321 (2000) 175
Jena, P., see Pandey, R.	321 (2000) 142
Johnston, R.L., see Turner, G.W.	321 (2000) 183
Jungwirth, P., see Pittner, J.	321 (2000) 281

Kaneko, K., see Murata, K. Kappes, M.M., see Weis, P. Kariuki, B.M., see Turner, G.W. Kennedy, S.B., see deAzevedo, E.R. Khalil, M., O. Golonzka, N. Demirdöven, C.J. Fecko and A. Tokmakoff, Polarization-selective femtosecond Raman spectroscopy of isotropic and anisotropic vibrational dynamics in liquids Kim, HS., Monte Carlo simulations study for solvent effect on Cs ⁺ to Rb ⁺ ion mutation Klafter, J., see Metzler, R. Klein, I., see Floriano, P.N. Klinowski, J., see Gandy, P.J.F. Knak Jensen, S.J., J.C. Vank, TH. Tang and I.G. Csizmadia, Flip-flops in fluorinated o-cresol Kobayashi, T., A. Shirakawa, H. Matsuzawa and H. Nakanishi, Real-time vibrational mode-coupling associated with ultrafast geometrical relaxation in polydiacetylene induced by sub-5-fs pulses 321 (200) 322 (200) 323 (200) 324 (200) 325 (200) 326 (200) 327 (200) 328 (200) 329 (200) 321 (200) 321 (200) 321 (200) 321 (200) 321 (200) 321 (200) 321 (200) 321 (200) 321 (200) 321 (200) 321 (200) 321 (200) 321 (200) 321 (200) 321 (200) 321 (200) 321 (200)	
Kariuki, B.M., see Turner, G.W. Kennedy, S.B., see deAzevedo, E.R. Khalil, M., O. Golonzka, N. Demirdöven, C.J. Fecko and A. Tokmakoff, Polarization-selective femtosecond Raman spectroscopy of isotropic and anisotropic vibrational dynamics in liquids Kim, HS., Monte Carlo simulations study for solvent effect on Cs ⁺ to Rb ⁺ ion mutation Klafter, J., see Metzler, R. Klein, I., see Floriano, P.N. Klinowski, J., see Collins, C. Klinowski, J., see Gandy, P.J.F. Knak Jensen, S.J., J.C. Vank, TH. Tang and I.G. Csizmadia, Flip-flops in fluorinated o-cresol Kobayashi, T., A. Shirakawa, H. Matsuzawa and H. Nakanishi, Real-time vibrational mode-coupling associated with ultrafast geometrical relaxation in polydiacetylene induced by sub-5-fs pulses	
Kennedy, S.B., see deAzevedo, E.R. Khalil, M., O. Golonzka, N. Demirdöven, C.J. Fecko and A. Tokmakoff, Polarization-selective femtosecond Raman spectroscopy of isotropic and anisotropic vibrational dynamics in liquids Kim, HS., Monte Carlo simulations study for solvent effect on Cs ⁺ to Rb ⁺ ion mutation Klafter, J., see Metzler, R. Klein, I., see Floriano, P.N. Klinowski, J., see Collins, C. Klinowski, J., see Gandy, P.J.F. Knak Jensen, S.J., J.C. Vank, TH. Tang and I.G. Csizmadia, Flip-flops in fluorinated o-cresol Kobayashi, T., A. Shirakawa, H. Matsuzawa and H. Nakanishi, Real-time vibrational mode-coupling associated with ultrafast geometrical relaxation in polydiacetylene induced by sub-5-fs pulses	
Khalil, M., O. Golonzka, N. Demirdöven, C.J. Fecko and A. Tokmakoff, Polarization-selective femtosecond Raman spectroscopy of isotropic and anisotropic vibrational dynamics in liquids Kim, HS., Monte Carlo simulations study for solvent effect on Cs ⁺ to Rb ⁺ ion mutation Klafter, J., see Metzler, R. Klein, I., see Floriano, P.N. Klinowski, J., see Collins, C. Klinowski, J., see Gandy, P.J.F. Knak Jensen, S.J., J.C. Vank, TH. Tang and I.G. Csizmadia, Flip-flops in fluorinated o-cresol Kobayashi, T., A. Shirakawa, H. Matsuzawa and H. Nakanishi, Real-time vibrational mode-coupling associated with ultrafast geometrical relaxation in polydiacetylene induced by sub-5-fs pulses	
selective femtosecond Raman spectroscopy of isotropic and anisotropic vibrational dynamics in liquids Kim, HS., Monte Carlo simulations study for solvent effect on Cs ⁺ to Rb ⁺ ion mutation Klafter, J., see Metzler, R. Klein, I., see Floriano, P.N. Klinowski, J., see Collins, C. Klinowski, J., see Gandy, P.J.F. Knak Jensen, S.J., J.C. Vank, TH. Tang and I.G. Csizmadia, Flip-flops in fluorinated o-cresol Kobayashi, T., A. Shirakawa, H. Matsuzawa and H. Nakanishi, Real-time vibrational mode-coupling associated with ultrafast geometrical relaxation in polydiacetylene induced by sub-5-fs pulses) 43
Kim, HS., Monte Carlo simulations study for solvent effect on Cs ⁺ to Rb ⁺ ion mutation Klafter, J., see Metzler, R. Klein, I., see Floriano, P.N. Klinowski, J., see Collins, C. Klinowski, J., see Gandy, P.J.F. Knak Jensen, S.J., J.C. Vank, TH. Tang and I.G. Csizmadia, Flip-flops in fluorinated o-cresol Kobayashi, T., A. Shirakawa, H. Matsuzawa and H. Nakanishi, Real-time vibrational mode-coupling associated with ultrafast geometrical relaxation in polydiacetylene induced by sub-5-fs pulses	
Klafter, J., see Metzler, R. Klein, I., see Floriano, P.N. Klinowski, J., see Collins, C. Klinowski, J., see Gandy, P.J.F. Knak Jensen, S.J., J.C. Vank, TH. Tang and I.G. Csizmadia, Flip-flops in fluorinated o-cresol Kobayashi, T., A. Shirakawa, H. Matsuzawa and H. Nakanishi, Real-time vibrational mode-coupling associated with ultrafast geometrical relaxation in polydiacetylene induced by sub-5-fs pulses 321 (200)	
Klein, I., see Floriano, P.N. Klinowski, J., see Collins, C. Klinowski, J., see Gandy, P.J.F. Knak Jensen, S.J., J.C. Vank, TH. Tang and I.G. Csizmadia, Flip-flops in fluorinated o-cresol Kobayashi, T., A. Shirakawa, H. Matsuzawa and H. Nakanishi, Real-time vibrational mode-coupling associated with ultrafast geometrical relaxation in polydiacetylene induced by sub-5-fs pulses 321 (200	
Klinowski, J., see Collins, C. Klinowski, J., see Gandy, P.J.F. Knak Jensen, S.J., J.C. Vank, TH. Tang and I.G. Csizmadia, Flip-flops in fluorinated o-cresol Kobayashi, T., A. Shirakawa, H. Matsuzawa and H. Nakanishi, Real-time vibrational mode-coupling associated with ultrafast geometrical relaxation in polydiacetylene induced by sub-5-fs pulses 321 (200	
Klinowski, J., see Gandy, P.J.F. Knak Jensen, S.J., J.C. Vank, TH. Tang and I.G. Csizmadia, Flip-flops in fluorinated o-cresol Kobayashi, T., A. Shirakawa, H. Matsuzawa and H. Nakanishi, Real-time vibrational mode-coupling associated with ultrafast geometrical relaxation in polydiacetylene induced by sub-5-fs pulses 321 (200	
Knak Jensen, S.J., J.C. Vank, TH. Tang and I.G. Csizmadia, Flip-flops in fluorinated o-cresol Kobayashi, T., A. Shirakawa, H. Matsuzawa and H. Nakanishi, Real-time vibrational mode-coupling associated with ultrafast geometrical relaxation in polydiacetylene induced by sub-5-fs pulses 321 (200	
o-cresol Kobayashi, T., A. Shirakawa, H. Matsuzawa and H. Nakanishi, Real-time vibrational mode-coupling associated with ultrafast geometrical relaxation in polydiacetylene induced by sub-5-fs pulses 321 (200	363
Kobayashi, T., A. Shirakawa, H. Matsuzawa and H. Nakanishi, Real-time vibrational mode-coupling associated with ultrafast geometrical relaxation in polydiacetylene induced by sub-5-fs pulses 321 (200	
mode-coupling associated with ultrafast geometrical relaxation in polydiacetylene in- duced by sub-5-fs pulses 321 (200) 126
)) 385
Köhn, F., J. Hofkens and F.C. De Schryver, Emission of the contact ion pair of rhodamine	
dyes observed by single molecule spectroscopy 321 (200	
Kokai, F., see Bandow, S. 321 (200	
Kroemer, R.T., see Snoek, L.C. 321 (200)) 49
Kudelski, A. and B. Pettinger, SERS on carbon chain segments: monitoring locally surface	0) 051
chemistry 321 (200	
Kulkarni, G.U., see Thomas, P.J.	
Kumagai, J., T. Noda and T. Miyazaki, An ENDOR study of H atoms in HD solid at 4.2 K	
Kumar, A., see Upadhyaya, H.P. 321 (200	
Kurosaki, Y., see Takayanagi, T. 321 (200	0) 106
Kuznetsova, A., D.B. Mawhinney, V. Naumenko, J.T. Yates Jr., J. Liu and R.E. Smalley, Enhancement of adsorption inside of single-walled nanotubes: opening the entry ports 321 (200	0) 292
Lee, C.S., see Zhang, R.Q. 321 (200	0) 101
Lee, C.S., see Zhang, R.Q. Lee, G.H., S.T. Arnold, J.G. Eaton and K.H. Bowen, Electronic properties of dipole-bound	0) 101
$(H_2O)_2^-$, $(D_2O)_2^-$, $(H_2O)_2^-$ Ar _{n=1,2,3} , and $(D_2O)_2^-$ Ar _{n=1,2,3} using negative ion photo- electron spectroscopy 321 (200	n) 222
1	0) 333
Lee, S.K. and B.U. Ahn, Vibronic emission spectrum of the jet cooled <i>m</i> -fluorobenzyl	(0) 25
radical in the $D_1 \rightarrow D_0$ transition 321 (20) Lee, S.T., see Zhang, R.Q. 321 (20)	
	0) 101
Lee, YC., L.A. Curtiss, M.A. Ratner and D.F. Shriver, Computational studies of lithium	0) 463
affinities for zeolitic fragments Leitão, A.A., N.V. Vugman and C.E. Bielschowsky, On the origin of ¹³ C and ¹⁴ N	0) 403
	10) 260
Levitt, M.H., see Carravetta, M. 321 (20	
Lewerenz, M., see Mladenović, M. 321 (20)	10) 133
Lin, C. and K. Wu, Theoretical studies on the nonlinear optical susceptibilities of 3-methoxy-4-hydroxy-benzaldehyde crystal 321 (20	10) 92
	101 272
Liu, YJ. and MB. Huang, The asymmetric structure of the <i>n</i> -pentane radical cation: a theoretical study 321 (20	00) 89

López, D.O., see Pardo, L.C.	321 (2000) 438
Lukins, P.B., Direct observation of semiconduction and photovoltaic behaviour in single	
molecules of the Photosystem II reaction centre	321 (2000) 13
Luzzi, D.E., see Smith, B.W.	321 (2000) 169
Margani, A., see Nguyen Xuan, C.	321 (2000) 328
Markus, M., see Woltering, M.	321 (2000) 473
Matsuzawa, H., see Kobayashi, T.	321 (2000) 385
Mawhinney, D.B., see Kuznetsova, A.	321 (2000) 292
McCarley, R.L., see Floriano, P.N.	321 (2000) 175
McCoy, A.B., Diffusion quantum Monte Carlo on multiple-potential surfaces	321 (2000) 71
Mebel, A.M., see Hwang, DY.	321 (2000) 95
Meijer, G., see van Heijnsbergen, D.	321 (2000) 508
Melandri, S., B. Velino, P.G. Favero, A. Dell'Erba and W. Caminati, Investigation of a van	(,
der Waals complex with C1 symmetry: the free-jet rotational spectrum of 1,2-dif-	
luoroethane-Ar	321 (2000) 31
Metzler, R. and J. Klafter, Kramers' escape problem with anomalous kinetics: non-ex-	
ponential decay of the survival probability	321 (2000) 238
Miyazaki, T., see Kumagai, J.	321 (2000) 8
Mizoguti, E., F. Nihey, M. Yudasaka, S. Iijima, T. Ichihashi and K. Nakamura, Purification	
of single-wall carbon nanotubes by using ultrafine gold particles	321 (2000) 297
Mladenović, M. and M. Lewerenz, Converging multidimensional rovibrational variational	
calculations: the dissociation energy of (HF) ₂	321 (2000) 135
Moiseyev, N., Comment on calculations of excited states by the density functional theory	321 (2000) 469
Mondieig, D., see Pardo, L.C.	321 (2000) 438
Murata, K. and K. Kaneko, Nano-range interfacial layer upon high-pressure adsorption of	()
supercritical gases	321 (2000) 342
Murphy, R.B., D.M. Philipp and R.A. Friesner, Frozen orbital QM/MM methods for	
density functional theory	321 (2000) 113
Naik, P.D., see Upadhyaya, H.P.	221 (2000) 411
Nakamura, K., see Mizoguti, E.	321 (2000) 411
Nakanishi, H., see Kobayashi, T.	321 (2000) 297
Nakano, M., S. Yamada and K. Yamaguchi, On the second hyperpolarizabilities γ of three	321 (2000) 385
charged states of tetrathiapentalene and tetrathiafulvalene: a γ density analysis	221 (2000) 401
Nakatsuji, H., see Hada, M.	321 (2000) 491 321 (2000) 452
Naumenko, V., see Kuznetsova, A.	
Negrier, P., see Pardo, L.C.	321 (2000) 292
	321 (2000) 438
Newsam, J.M., see Pandey, R.	321 (2000) 142
Nguyen Xuan, C. and A. Margani, Reaction of $PH_2(\tilde{X}^2B_1; v_2'' = 0,1)$ with NO	321 (2000) 328
Nihey, F., see Mizoguti, E.	321 (2000) 297
Nishi, N., see Ohashi, K.	321 (2000) 406
Noda, T., see Kumagai, J.	321 (2000) 8
Nyman, G., see Yu, HG.	321 (2000) 275
Ohashi, K., H. Izutsu, Y. Inokuchi, K. Hino, N. Nishi and H. Sekiya, Vibrational and	
electronic spectra of (benzene-benzyl alcohol)+ Predominance of charge resonance	

321 (2000) 406

interaction over hydrogen-bonding interaction

Ojamäe, L., see Persson, P.	321 (2000) 302
Okada, S. and S. Saito, Stable polymers of C_{74} and C_{78} fullerenes	321 (2000) 156
Ordejón, P., see Pascual, J.I.	321 (2000) 78
Palmer, P.M., Y. Chen and M.R. Topp, Structural differences among methanol clusters	
(n = 1-4) hydrogen-bonded to Coumarin 151	321 (2000) 62
Pandey, R., B.K. Rao, P. Jena and J.M. Newsam, Unique magnetic signature of transition	1
metal atoms supported on benzene	321 (2000) 142
Pardo, L.C., M. Barrio, J.Ll. Tamarit, D.O. López, J. Salud, P. Negrier and D. Mondieig	
Stable and metastable orientationally disordered mixed crystals of the two-componen	t
system $(CH_3)_2 CCl_2 + CCl_4$	321 (2000) 438
Parrinello, M., see Geissler, P.L.	321 (2000) 225
Pascual, J.I., J. Gómez-Herrero, C. Rogero, A.M. Baró, D. Sánchez-Portal, E. Artacho, P.	
Ordejón and J.M. Soler, Seeing molecular orbitals	321 (2000) 78
Pawlikowski, M., see Andruniow, T.	321 (2000) 485
Persson, P. and L. Ojamäe, Periodic Hartree-Fock study of the adsorption of formic acid	d
on ZnO(1010)	321 (2000) 302
Pettinger, B., see Kudelski, A.	321 (2000) 356
Philipp, D.M., see Murphy, R.B.	321 (2000) 113
Pittner, J. and P. Jungwirth, Potential energy curves for the ground and low-lying excite states of IBr calculated with relativistic effective core potentials and spin-orbit interactions.	
tions	321 (2000) 281
Poliakoff, E.D., see Floriano, P.N.	321 (2000) 175
Protsenko, S.P., see Baidakov, V.G.	321 (2000) 315
Prudente, F.V., see Acioli, P.H.	321 (2000) 121
Qian, Y., see Qiao, Z.	321 (2000) 504
Qiao, Z., Y. Xie, M. Chen, J. Xu, Y. Zhu and Y. Qian, Synthesis of lead sulfide/(poly	y-
vinyl acetate) nanocomposites with controllable morphology	321 (2000) 504
Qin, L.C., see Bandow, S.	321 (2000) 514
Qin, Q., see Chen, M.	321 (2000) 498
Ramírez-Solís, A., see Hernández-Lamoneda, R.	321 (2000) 191
Rao, B.K., see Pandey, R.	321 (2000) 142
Rao, C.N.R., see Thomas, P.J.	321 (2000) 163
Ratner, M.A., see Lee, YC.	321 (2000) 463
Riedener, T., Y. Shen, R.J. Smith and K.L. Bray, Pressure induced phase transition a	nd
spectroscopy of Mn5+-doped Li ₃ PO ₄	321 (2000) 445
Robertson, E.G., see Snoek, L.C.	321 (2000) 49
Rogero, C., see Pascual, J.I.	321 (2000) 78
Rose, J., see Strassner, Th.	321 (2000) 459
Ruiz-López, M.F., see Tuñón, I.	321 (2000) 433
Saito, S., see Okada, S.	321 (2000) 156
Salaneck, W.R., see Greczynski, G.	321 (2000) 379
Salud, J., see Pardo, L.C.	321 (2000) 43
Sánchez-Portal, D., see Pascual, J.I.	321 (2000) 78
Sapre, A.V., see Upadhyaya, H.P.	321 (2000) 41

Sartakov, B., see van Heijnsbergen, D.	321 (2000) 508
Schelvis, J.P.M. and C.A. Varotsis, Picosecond resonance Raman evidence of the structure	/
of a long-lived electronic excited state of low-spin Fe(III)heme o	321 (2000) 37
Schlieben, O., see Floriano, P.N.	321 (2000) 175
Sekiya, H., see Ohashi, K.	321 (2000) 406
Shen, Y., see Riedener, T.	321 (2000) 445
Shirakawa, A., see Kobayashi, T.	321 (2000) 385
Shriver, D.F., see Lee, YC.	321 (2000) 463
Silla, E., see Tuñón, I.	321 (2000) 433
Simons, J.P., see Snoek, L.C.	321 (2000) 49
Smalley, R.E., see Kuznetsova, A.	321 (2000) 292
Smith, B.W. and D.E. Luzzi, Formation mechanism of fullerene peapods and coaxial tubes:	221 (2222) 162
a path to large scale synthesis	321 (2000) 169
Smith, R.J., see Riedener, T.	321 (2000) 445
Snoek, L.C., E.G. Robertson, R.T. Kroemer and J.P. Simons, Conformational landscapes in amino acids: infrared and ultraviolet ion-dip spectroscopy of phenylalanine in the gas	
phase	321 (2000) 49
Sobolewski, A.L. and W. Domcke, Photoejection of electrons from pyrrole into an aqueous	
environment: ab initio results on pyrrole-water clusters	321 (2000) 479
Soler, J.M., see Pascual, J.I.	321 (2000) 78
Soscún Machado, H.J., see Hinchliffe, A.	321 (2000) 151
Spittler, M., I. Barnes, K.H. Becker and T.J. Wallington, Product study of the C ₂ H ₅ O ₂ +	
HO ₂ reaction in 760 Torr of air at 284–312 K	321 (2000) 57
Strassner, Th., A. Weitz, J. Rose, F. Wudl and K.N. Houk, Toward ferromagnetic	021 (2000) 01
materials: prediction of a triplet ground state for heterocyclic polyacenes	321 (2000) 459
materials, prediction of a diplet ground state for neterocyclic poryaccies	321 (2000) 43)
Tachimori, S., see Erkoç, Ş.	321 (2000) 321
Takahashi, K., see Bandow, S.	321 (2000) 514
Takayanagi, T., Y. Kurosaki and K. Yokoyama, Ab initio molecular orbital calculations of	321 (2000) 314
potential energy surfaces for the N(⁴ S, ² D, ² P) + H ₂ reactions	321 (2000) 106
Tamarit, J.Ll., see Pardo, L.C.	321 (2000) 100
Tang, TH., see Knak Jensen, S.J.	321 (2000) 126
Tedesco, E., see Turner, G.W.	321 (2000) 183
Thomas, P.J., G.U. Kulkarni and C.N.R. Rao, Effect of size on the Coulomb staircase	221 (2000) 162
phenomenon in metal nanocrystals	321 (2000) 163
Tokmakoff, A., see Khalil, M.	321 (2000) 231
Topp, M.R., see Palmer, P.M.	321 (2000) 62
Tornero López, J., see Cáceres, J.O.	321 (2000) 349
Tuñón, I., E. Silla and M.F. Ruiz-López, On the tautomerization process of glycine in	
aqueous solution	321 (2000) 433
Turner, G.W., E. Tedesco, K.D.M. Harris, R.L. Johnston and B.M. Kariuki, Implementa-	
tion of Lamarckian concepts in a Genetic Algorithm for structure solution from powder	
diffraction data	321 (2000) 183
Upadhyaya, H.P., A. Kumar, P.D. Naik and A.V. Sapre, Discharge flow reaction kinetic	
studies of O(³ P) with chloroethylenes CH ₂ CCl ₂ , CHClCCl ₂ , CCl ₂ CCl ₂	321 (2000) 411
or of the original or	321 (2000) 411

Van Heijnsbergen, D., G. von Helden, B. Sartakov and G. Meijer, IR-REMPI spectroscopy	
for thermometry of C ₆₀	321 (2000) 508
Vank, J.C., see Knak Jensen, S.J.	321 (2000) 126
Varotsis, C.A., see Schelvis, J.P.M.	321 (2000) 37
Velino, B., see Melandri, S.	321 (2000) 31
Vergès, J., see Amiot, C.	321 (2000) 21
Vilkas, M.J., Y. Ishikawa and K. Hirao, Ionization energies and fine structure splittings of	
highly correlated systems: Zn, zinc-like ions and copper-like ions	321 (2000) 243
Von Helden, G., see van Heijnsbergen, D.	321 (2000) 508
Vugman, N.V., see Leitão, A.A.	321 (2000) 269
Wallington, T.J., see Spittler, M.	321 (2000) 57
Wang, B., see Zhu, A.	321 (2000) 37
Weis, P., O. Hampe, S. Gilb and M.M. Kappes, Metastability of isolated platinum and	321 (2000) 394
palladium tetrahalide dianions and the role of electron tunneling	221 (2000) 426
Weitz, A., see Strassner, Th.	321 (2000) 426
White, J.O., see Zhu, A.	321 (2000) 459
	321 (2000) 394
Woltering, M. and M. Markus, Riddled basins in a model for the Belousov-Zhabotinsky	201 (0000) 150
reaction	321 (2000) 473
Wu, K., see Lin, C.	321 (2000) 83
Wudl, F., see Strassner, Th.	321 (2000) 459
Xie, Y., see Qiao, Z.	321 (2000) 504
Xin, H., see Zhong, S.	321 (2000) 309
Xu, J., see Qiao, Z.	321 (2000) 504
Yamada, S., see Nakano, M.	321 (2000) 491
Yamaguchi, K., see Nakano, M.	321 (2000) 491
Yates Jr., J.T., see Kuznetsova, A.	321 (2000) 292
Yokoyama, K., see Takayanagi, T.	321 (2000) 106
Yu, HG., S. Andersson and G. Nyman, A generalized discrete variable representation	321 (2000) 100
approach to interpolating or fitting potential energy surfaces	321 (2000) 275
Yudasaka, M., see Mizoguti, E.	321 (2000) 273
Yudasaka, M., see Bandow, S.	
i ddasara, M., see Balldow, S.	321 (2000) 514
Zhang, R.Q., K.L. Han, R.S. Zhu, C.S. Lee and S.T. Lee, Ab initio/Rice-Ramsperger-	
Kassel-Marcus approach to carbon nitride formation: CH ₃ NH ₂ decomposition	321 (2000) 101
Zhao, X., see Carravetta, M.	321 (2000) 205
Zhong, S. and H. Xin, Noise-induced oscillations and internal stochastic resonance in a	(2000) 200
model of excitable biomembrane	321 (2000) 309
Zhou, M., see Chen, M.	321 (2000) 498
Zhu, A., B. Wang, J.O. White and H.G. Drickamer, The effect of high pressure and controlled stretching on the intramolecular twist of <i>p</i> -N-N-dimethylaminobenzy-	
lidenemalononitrile in polyvinylacetate and polyvinylchloride	321 (2000) 394
Zhu, R.S., see Zhang, R.Q.	321 (2000) 101
Zhu, Y., see Qiao, Z.	321 (2000) 504
	(-000) 201



